

REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-01-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information. Send collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paper

0527

es,
his
son

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE		3. REPORT DATE COVERED FINAL 15 Sep 95 - 30 Jun 01	
4. TITLE AND SUBTITLE Multivariable Control, Simulation, Optimization, and Signal Processing for the Microlithographic Process				5. FUNDING NUMBERS F49620-95-1-0525	
6. AUTHOR(S) Professor Thomas Kailath					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Information Systems Laboratory Department of Electrical Engineering Stanford, University 94305-9510				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NM 801 N. Randolph Street Room 732 Arlington, VA 22203-1977				10. SPONSORING/MONITORING AGENCY REPORT NUMBER F49620-95-1-0525	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release, distribution unlimited			12b. DISTRIBUTION CODE AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR) NOTICE OF TRANSMITTAL DTIC. THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLIC RELEASE LAW AFR 190-12. DISTRIBUTION IS UNLIMITED.		
13. ABSTRACT (Maximum 200 words) The objective of this Multidisciplinary University Research Initiative (MURI) program is to apply multivariable control, simulation, optimization and signal processing techniques to the microlithography sequence.					
14. SUBJECT TERMS				15. NUMBER OF PAGES 24	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT		

20011012 016

AFOSR/DARPA MURI Program F49620-95-1-0525

**Multivariable Control, Simulation, Optimization, and Signal Processing
for the Microlithographic Process**

Principal Investigator
Professor Thomas Kailath
Information Systems Laboratory
Department of Electrical Engineering
Stanford University
Stanford, CA 94305-9510
kailath@stanford.edu
650-723-3688
650-723-8473 (fax)

Final Report: August 1, 1995 -- June 30, 2001

A Multidisciplinary University Research Initiative Project of the Defense Advanced
Research Projects Agency

Summary

The objective of this Multidisciplinary University Research Initiative (MURI) program is to apply multivariable control, simulation, optimization and signal processing techniques to the microlithography sequence (www-isl.stanford.edu/groups/MURI). This final report only summarizes the major contributions and highlights of our effort. More details can be obtained from our annual reports.

1. Research Highlights (Stanford University)

1.1 Design of Phase-Shifting Masks

We have developed algorithms for optical lithography that enable Moore's law to be advanced by several generations. They have demonstrated the (approximate) solution of a highly nonlinear inverse problem that enabled the automated design of phase-shifting masks (PSMs) for arbitrary layouts. Moreover their proof that all such masks could be implemented via two passes with just binary PSMs made their implementation feasible. For example, Motorola is using these ideas (via commercial grade software developed by a Stanford spinoff, Numerical Technologies, Inc.) to manufacture Power PC chips with smallest feature sizes of 110nm(.11 μ m) using current 248nm sources. In May 2000, MIT Lincoln Laboratory announced successful fabrication (albeit in a research rather than a production environment) of transistors with 25nm feature sizes again using current 248nm sources! Numerical Technologies had a successful IPO in April 2000 (see www.numeritech.com for more on the technology and the company).

1.2 Thermal Processing System

We have developed temperature control algorithms and patented gear for conducting the most thermally sensitive deep-ultraviolet lithography processes used in making the photomasks for sub-180 nm feature-size chips. This technology has been transferred through a licensing arrangement to a company APT Systems, which has transitioned it into a commercial-grade product. The first productized system was successfully delivered in July, 2000, to a major manufacturer of photomasks with several follow-on orders scheduled for delivery in 2001. The purpose of the technology is to place stringent controls on the photomask processing temperature trajectories, thereby enabling highly sensitive photoresists to manufacture advanced photomasks. The basis for the system was an analysis of the thermal characteristics of large volume substrates to show that nonuniform local heating was needed to achieve uniform heating at the substrate plane. Further analysis showed that decoupling the heating modes into independent rapidly responding units was required to achieve fast response times with minimal out-of-plane stress-induced deformation. The resulting technology is a major departure from conventional heating systems since it utilizes high dimensional multivariable spatial control to manipulate the temperature field over a small grid. The system is nearly two orders of magnitude faster than conventional equipment (response times of 20 seconds versus 2000 seconds) and provides an order of magnitude improvement in spatial controllability (625 mm² local heating fields versus 18,000 mm² fields). Further, the system provides an in-situ quench capability that had never been achieved in the industry. This adds-up to a system with extreme temperature control

capabilities, providing advantages in yield, throughput and across-substrate electronic performance. This precise method of temperature control may also find use in other areas, such as independently controlling all linear distortion modes for precision overlay. This enables multi-layer molecular-level contact printing on curved surfaces for fabrication of spherical infrared focal plane arrays that have application for ultra-high definition panoramic imaging systems. Other interests for the thermal array technology are in processing low-k dielectric materials, spin-on glass, processing thick photolabile materials, copper annealing. Also, the bio area has expressed interest in using the thermal array for genotyping using bio-chips.

1.3 Micromachined Piezoelectrically Actuated Flextensional Transducers For High Resolution Fluid and Solid-Particle Deposition

There is a continuing need for alternative deposition techniques of organic polymers in precision droplet-based manufacturing and material synthesis, such as the deposition of photoresist without spinning on large or oddly shaped substrates. In this research, we present a technique for the deposition of inks, organic polymers, solid particles, fuels, biological and chemical fluids, using a fluid ejector. The ejector design is based on a flextensional transducer that excites the axisymmetric resonant modes of a clamped circular plate. It is constructed by depositing a thin piezoelectric annular plate onto a thin, edge clamped, circular plate. Liquids and solid-particles are placed behind one face of the plate which has a small orifice at its center. By applying an ac signal across the piezoelectric element, continuous or drop-on-demand ejection of fluids and solid-particles has been achieved. The ejected drop size ranges in diameter from 5 micrometers at 3.5 MHz to 150 micrometers at 7 kHz, the corresponding ejected drop volume ranges from 65 femtoliters to 1.5 nanoliters, and the corresponding flow rate ranges from 0.2 microliters per second to 10 microliters per second. The unique features of the device are that the fluid is not pressurized, the fluid container is chemically and biologically compatible with most fluids, and the vibrating plate contains the orifice as the ejection source. The device is manufactured by silicon surface micromachining and implemented in the form of two-dimensional arrays. Individual elements are made of thin silicon nitride membranes covered by a coating of piezoelectric zinc oxide. This technology has been transitioned to Hewlett-Packard in a licensing arrangement with Stanford's Office of Technology Licensing.

1.4 Molecular Transfer Lithography

Recently, we developed a new process for conducting lithography. We call it Molecular Transfer Lithography (MxL) whose aim is to remove lithography as the bottleneck of semiconductor manufacturing. MxL applies conventional optical exposure technology to image photosensitive material coated on a pure carrier, subsequent to an aligned inverted transfer of the resultant latent image to the wafer. The estimates for this approach are an improvement of the in-line throughput of stepper/scanner technology by a factor of 3-6 while significantly cutting the cost of the optical imaging tool. MxL works in conjunction with existing patterning/exposure tools to lower manufacturing and capital costs, while removing or reducing critical technical problems associated with imaging tools such as depth of focus, resolution, reflectivity and contamination. The applications include printing, Semiconductor Lithography for Manufacturing Integrated Circuits, Lithography on curved substrates, MEMS and biological patterning uses.

2. Research Highlights (Boston University)

2.1 Limitation of the Kirchhoff boundary conditions in 157-nm lithography -

There is great current interest in pushing optical lithography to the 70-nm technology node by using an exposure wavelength of 157 nm. At this wavelength, the chromium absorber material in a photomask is less absorptive than at the wavelength of 248 nm or 193 nm currently used for manufacturing. As a result, the thickness of the chromium layer relative to the wavelength in a 157-nm photomask will have to be increased, leading to greater diffraction effects in the propagation of the light through the photomask apertures. The goal of this project is to assess the limitation of the approximate Kirchhoff boundary conditions in 157-nm lithography simulation, by comparing the Kirchhoff results with those obtained from rigorous finite-difference time-domain (FDTD) computation. It is found that the discrepancies between the Kirchhoff and FDTD results are much larger at 157 nm than at 248 nm in the case of TM polarization. This indicates that diffraction effects in the photomask apertures must be included when simulating aerial images in 157-nm lithography.

3. Personnel

Stanford University

Professor Thomas Kailath (Principal Investigator)

Professor Stephen Boyd

Professor Pierre Khuri-Yakub

Professor Fabian Pease

Professor Mark McCord

Professor Bo Wahlberg

Dr. Anders Hannson

Dr. Buno Pati

Dr. Charles Schaper

Dr. Gurcan Aral

Dr. Babak Hassibi

Gokhan Percin

Tariq Al-Naffouri

Khalid El-Awady

Dan Constinescu

Maryam Fazal

Chandrasekhar Madhavannair

Kenneth Tsai

Dimitrious Toumpakaris

Yaoting Wang

Harris Vikalo

Boston University

Prof. Eytan Barouch

Prof. Steven Orszag

Prof. Michael Yeung

Prof. Uwe Hollebach

So Yeon Baek

Zhen Wang

Xima Zhang

Ashish Sodhi

4. Ph.D. Dissertations

1. Yaoting Wang (Stanford 1997) *Automated design of phase-shifting masks for microlithography.*
2. Amir Ghazanfarian (Stanford 1999) *Subspace techniques for lithography in integrated circuit manufacturing.*
3. Susan Morton (Stanford 1999) *Ultrasonic sensor for photoresist process monitoring.*
4. Khalid El-Awady (Stanford 2000) *Programmable thermal processing module for semiconductor substrates.*
5. Gokhan Percin (Stanford 2000) *Micromachined piezoelectrically actuated flexensional transducers for high resolution fluid and solid-particle deposition.*

4 MURI Supported Publications - August 1996 - July 1997

4.1 Books (Stanford)

- [1] A. Paulraj, V. Roychowdhury, C. Schaper, Eds., *Communications, Computation, Control and Signal Processing: A Tribute to Thomas Kailath*, Kluwer Publishers, Boston, 1997.
- [2] B. Hassibi, A.H. Sayed and T. Kailath, *Indefinite Quadratic Estimation and Control: A Unified Approach to H^2 and H^∞ Theories*, SIAM Studies in Applied Mathematics, Philadelphia, PA, 1997.

4.2 Book Chapters (Stanford)

- [3] T. Kailath, "Norbert Wiener and the Development of Mathematical Engineering," pp. 93-116 in D. Jerison, I. Singer, D. Stroock, Eds., *The Legacy of Norbert Wiener*, Amer. Math. Society, 1997.
- [4] L. Vandenberghe and S. Boyd, "Connections Between Semi-Infinite and Semidefinite Programming", to appear in R. Reemtsen and J.-J. Rueckmann, Eds., *Semi-Infinite Programming*, Kluwer Publishers, 1997.

4.3 Book Chapters (BU/Princeton/Yale)

- [5] S.A. Orszag, E. Barouch, U. Hollerbach, and R. Vallishayee, "Simulation of Microlithographic Processes", accepted, 1997.

4.4 Published/Accepted Journal Papers (Stanford)

- [6] H. Lin, G. Xu, L. Tong, and T. Kailath, "Recent developments in blind channel equalization: from cyclostationarity to subspaces", *Signal Processing*, 50(1-2):83-99, 1996.
- [7] B. Halder and T. Kailath, "Efficient Estimation of Close Sinusoidal Frequencies Using Subspace-Based Methods", *IEEE Signal Processing Letters*, 4(2):49-51, 1997.
- [8] P. Park and T. Kailath, "Convergence of the DRE Solution to the ARE Strong Solution", *IEEE Transactions on Automatic Control*, 42(4):573-578, 1997.
- [9] T. Constantinescu, A.H. Sayed, and T. Kailath, "Displacement Structure and Maximum Entropy", *IEEE Transactions on Information Theory*, 43(3):1074-1080, 1997.
- [10] Y. C. Pati, Amir A. Ghazanfarian, Fabian W. Pease, "Exploiting structure in fast aerial image computation for integrated circuit patterns", *IEEE Trans. Semiconductor Manufacturing*, Vol. 10, No. 1, 1997.
- [11] V. Subramanian, P. Dankoski, L. Degertekin, B.T. Khuri-Yakub, and K.C. Saraswat, "Controlled Two-Step Solid-Phase Crystallization for High-Performance Polysilicon TFT's", *IEEE Electron Device Letters*, Vol. 18, No. 8, pg. 378-81, 1997.

- [12] I. Gohberg and V. Olshevsky, "On the generalized Parker-Traub algorithm for inversion of Vandermonde and related matrices", To appear in *Journal of Complexity*, 1997.
- [13] B. Hassibi, T. Kailath and A.H. Sayed, "Array Algorithms for H^2 and H^∞ Estimation", To appear in *Applied and Computational Control, Signals and Circuits*, Vol. 1, No. 1, 1997.
- [14] B. Hassibi, A.H. Sayed and T. Kailath, "Array Algorithms for H^∞ Estimation", To appear in *IEEE Transactions on Automatic Control*, 1997.

4.5 Published/Accepted Journal Papers (BU/Princeton/Yale)

- [15] U. Hollerbach, "Effects of Aliasing Errors on Microlithographic Image Computations", *J. Sci. Comp.*, 1997.

4.6 Submitted Journal Papers (Stanford)

- [16] L. Vandenberghe, S. Boyd, and A. El Gamal, "Optimizing dominant time constants in RC circuits", submitted to *IEEE Transactions on Computer Aided Design*, 1996.
- [17] M.S. Lobo, L. Vandenberghe, S. Boyd, and H. Lebert, "Second-order cone programming", submitted to *Linear Algebra and Applications*, 1997.
- [18] K. El-Awady, C. Schaper, and T. Kailath, "Thermal Cycling Module for Photoresist Processing", submitted to *IEEE Trans. Semiconductor Manufacturing*, 1997.
- [19] C. Schaper, T. Kailath, and Y. J. Lee, "Decentralized Control of Wafer Temperature for Rapid Thermal Processing Systems", submitted to *IEEE Trans. Semiconductor Manufacturing*, 1997.
- [20] G. Perçin, L. Levin, and B. T. Khuri-Yakub, "Piezoelectrically Actuated Droplet Ejector," submitted to *Review of Scientific Instruments*, 1997.
- [21] G. Perçin, A. Atalar, F. L. Degertekin, and B. T. Khuri-Yakub, "Micromachined Two Dimensional Array Piezoelectrically Actuated Transducers," submitted to *Applied Physics Letters*, 1997.
- [22] B. Hassibi and T. Kailath, "A Krein Space Interpretation of the Kalman-Yakubovich-Popov Lemma", submitted to *Systems and Control Letters*, 1997.
- [23] B. Hassibi and T. Kailath, " H^∞ Filtering of Signals in Additive Noise", submitted to *IEEE Transactions on Automatic Control*, 1997.
- [24] B. Hassibi and T. Kailath, " H^∞ Bounds for Least-Squares Estimators", submitted to *IEEE Transactions on Automatic Control*, 1997.
- [25] B. Hassibi, A.T. Erdogan and T. Kailath, "Equalization with an H^∞ Criterion", submitted to *IEEE Transactions on Information Theory*, 1997.
- [26] A.T. Erdogan, B. Hassibi and T. Kailath, "On H^∞ Equalization of Communication Channels", submitted to *IEEE Transactions on Communications*, 1997.

4.7 Published/Accepted Conference Papers (Stanford)

- [27] Amir A. Ghazanfarian, Fabian W. Pease, Xun Chen, Mark A. McCord, "A new approach to global alignment in IC manufacturing based on a neural network model", SPIE's 22nd Int'l symposium on microlithography, March 1997
- [28] Amir A. Ghazanfarian, Fabian W. Pease, Xun Chen, Mark A. McCord, "A neural network model for global alignment incorporating wafer and stage distortion", The 41th Int'l conference on Electron, Ion, and Photon beam technology and nanofabrication, May 1997
- [29] Xun Chen, Amir A. Ghazanfarian, Fabian Pease, Mark A. McCord, "Accurate alignment of asymmetric signals", *Int'l conference on Electron, Ion, and Photon beam technology and nanofabrication*, May 1997
- [30] B. Halder, B. Hassibi and T. Kailath, "State-space structure of finite horizon optimal mixed H^2/H^∞ Filter", In *Proceedings of the 1997 American Control Conference*, Albuquerque NM, May 1997.
- [31] B. Hassibi and T. Kailath, "Mixed least-mean-squares/ H^∞ -optimal adaptive filtering" In *Proceedings of the 30th Asilomar Conference on Signals, Systems and Computers*, Pacific Grove, CA, pp. 425-430, Nov. 1996.
- [32] B. Hassibi and T. Kailath, "On Nonlinear Filters for Mixed H^2/H^∞ Estimation", *Proceedings of the 1997 American Control Conference*, Albuquerque, NM, June 1997.
- [33] S.L. Morton, A. Hansson, and B. T. Khuri-Yakub, "Ultrasonic Monitoring of the Photoresist Prebake Process Using TOF Measurement," in *IEEE Ultrasonics Symposium* pp. 1013-1016, 1996.
- [34] G. Perçin, L. Levin, and B. T. Khuri-Yakub, "Piezoelectrically actuated transducer and droplet ejector," in *Proceedings of IEEE Ultrasonics Symposium*, pp. 913-916, 1996.
- [35] P. Dankoski, V. Jones, and G. Franklin, "Performance limits for distance and thickness estimation in an ultrasonic parameter identification problem", *American Control Conference*, 1997
- [36] B. Hassibi and T. Kailath, "Tracking with an H^∞ Criterion", to appear in the *Proceedings of the 36th IEEE Conference on Decision and Control*, San Diego, CA, Dec. 1997.
- [37] B. Halder, B. Hassibi and T. Kailath, "Linearly combined suboptimal mixed H^2/H^∞ controllers", to appear in the *Proceedings of the 36th IEEE Conference on Decision and Control*, San Diego, CA, Dec. 1997.

4.8 Published/Accepted Conference Papers (BU/Princeton/Yale)

- [38] M. S. Yeung and E. Barouch, "Three-Dimensional Nonplanar Lithography Simulation using a Periodic Fast Multipole Method", *Proc. SPIE*, Vol. 3051, pp. 509-521, 1997.
- [39] M. S. Yeung and E. Barouch, "Optimization of Bottom Antireflective Coating for Nonplanar Lithography by Three-Dimensional Electromagnetic Simulation", *Proc. SPIE*, Vol. 3183, 1997.
- [40] M. S. Yeung and E. Barouch, "Use of Rigorous Three-Dimensional Electromagnetic Simulation to Evaluate the Effectiveness of Optical Proximity Correction for Nonplanar Lithography", *MRS Fall Meeting*, 1997

4.9 Submitted Conference Papers (Stanford)

- [41] G. Perçin and B. T. Khuri-Yakub, "Micromachined 2-D Array Piezoelectrically Actuated Flextensional Transducer," submitted to *1997 IEEE Ultrasonics Symposium*, 1997.
- [42] Morton, S.L., F.L. Degertekin, and B.T. Khuri-Yakub, "Ultrasonic Monitoring of Photoresist Pre-Exposure Bake Using a High Frequency Phase Interference Measurement," submitted to 1997 IEEE Ultrasonics.
- [43] A.Ronnekleiv, P.Roche, and B.T.Khuri-Yakub, "Analysis of micro machineable piezoelectrically driven one dimensional flexural transducers", submitted to *IEEE Ultrasonics Symposium*, 1997.
- [44] Non-linear dynamics of bimorph flexural mode disc transducers - P.Roche and B.T.Khuri-Yakub, "Non-linear dynamics of bimorph flexural mode disc transducers", submitted to *IEEE Ultrasonics Symposium*, 1997.
- [45] G. Perçin, H. T. Soh, and B. T. Khuri-Yakub, "Resist deposition without spinning by using novel inkjet technology and direct lithography for MEMS," submitted to *SPIE International Symposium on Microlithography*, 1997.

4.10 Dissertation Abstracts (Stanford)

Dissertation Abstract of YaoTing Wang

Automated Design of Phase-Shifting Masks for Microlithography, Stanford University, June, 1997 - Over the past few years the semiconductor industry has made a very strong push towards the use of optical enhancements to enable printing of features beyond the resolution limits of diffraction-limited lithographic projection systems. It is generally agreed that advanced mask technologies such as optical proximity correct (OPC) and phase-shifting masks (PSM's) are needed. Both of these techniques require the development of fast automated design algorithms, for transition from process research and development to production manufacturing use.

In this thesis we describe a computationally efficient mask design algorithm based on alternating projection methods. We first develop the optimal coherent decomposition (OCD) method to approximate complicated partially coherent systems with simple coherent systems. Then, we cast the mask design problem as a classical phase-retrieval problem in optics, and construct a close relative of the well-known Gerchberg-Saxton algorithm to design masks for arbitrary IC patterns. To control mask complexity, we propose a double-exposure strategy that produces a desired pattern by exposing two simple two-phase masks sequentially, and the half-toning methods that enable closer approximations to continuous modulation of amplitude by the mask.

The algorithm described in this thesis has been experimentally verified using a variety of test patterns ranging from simple u-shaped patterns to more complex gate-array and SRAM patterns.

Dissertation Abstract of Paul Dankoski

Multivariable Control of a Rapid Thermal Processor Using Ultrasonic Sensors. Stanford University, June, 1997 - The semiconductor manufacturing industry faces the need for tighter control of thermal budget and process variations as circuit feature sizes decrease. Strategies to meet this need include supervisory control, run-to-run control, and real-time feedback control. Typically, the level of control chosen depends upon the actuation and sensing available.

Rapid Thermal Processing (RTP) is one step of the manufacturing cycle requiring precise temperature control and hence real-time feedback control. At the outset of this research, the primary ingredient lacking from in-situ RTP temperature control was a suitable sensor. This research looks at an alternative to the traditional approach of pyrometry, which is limited by the unknown and possibly time-varying wafer emissivity. The technique is based upon the temperature dependence of the propagation time of an acoustic wave in the wafer.

The aim of this thesis is to evaluate the ultrasonic sensors as a potentially viable sensor for control in RTP. To do this, an experimental implementation was developed at the Center for Integrated Systems. Because of the difficulty in applying a known temperature standard in an RTP environment, calibration to absolute temperature is nontrivial. Given reference propagation delays, multivariable model-based feedback control is applied to the system. The modelling and implementation details are described. The control techniques have been applied to a number of research processes including rapid thermal annealing and rapid thermal crystallization of thin silicon films on quartz/glass substrates.

Dissertation Abstract of Babak Hassibi

Indefinite Metric Spaces in Estimation, Control and Adaptive Filtering. Stanford University, June, 1997 - The goal of this thesis is two-fold: first, to present a unified mathematical framework (based upon optimization in indefinite metric spaces) for a wide range of problems in estimation and control, and second, to study the implications of robust estimation and control to the area of adaptive signal processing.

Robust estimation (and control) is concerned with the design of estimators (and controllers) that have acceptable performance in the face of model uncertainties and lack of statistical information, and can be considered an outgrowth and extension of LQG theory, which assumed perfect models and complete statistical knowledge. One method of addressing the above problem is the so-called H^∞ approach, introduced by G. Zames in 1980, that has been recently solved by various authors.

Despite the "fundamental differences" between the philosophies of the H^∞ and LQG approaches to control and estimation, there are striking "formal similarities" between the controllers and estimators obtained from these two methodologies. In an attempt to explain these similarities, we shall describe a new approach to H^∞ estimation (and control), different from the existing (e.g., interpolation-theoretic-based, game-theoretic-based, etc.) approaches, that is based upon setting up estimation (and control) problems, not in the usual Hilbert space of random variables, but in an indefinite (so-called Krein) space.

The Krein space formulation unifies the treatments of LQG, H^∞ , risk-sensitive, and game-theoretic,

estimation and control, and allows one to use the insight obtained from over three decades of work in traditional LQG theory to obtain new results in these other areas. Proceeding in this spirit, we demonstrate how to generalize the numerically superior square-root, and the fast Chandrasekhar, algorithms to the H^∞ setting, and embark on some new investigations on the asymptotic behaviour of H^∞ solutions, and on the existence and properties of solutions of (possibly) indefinite algebraic Riccati equations.

We also apply the H^∞ approach to adaptive filtering and show that the celebrated LMS (least-mean-squares) adaptive algorithm is H^∞ -optimal. This result solves the long standing issue of finding a rigorous basis for LMS (which was long regarded as an approximate least-squares solution) and suggests further ramifications, some of which are described.

5 Interactions/Transitions

5.1 Interactions (Stanford)

- Applied Materials - option to license two technologies; collaborative investigations on future developments; a student has taken a leave of absence from the university to work with them
- CVC Products - implemented and commercialized decentralized control strategy for wafer temperature control on rapid thermal chemical vapor deposition module
- E-TECH - cooperative research on developed thermal cycler for photoresist processing on thick quartz glass used for masks; donated equipment and provided test data on the performance of our technology
- Hewlett-Packard - built and tested a phase-shifting masks designed by us
- IBM - collaborating on project attempting to uniformly process photoresist on x-ray mask membranes; have donated equipment
- KLA - supported a summer student working on fault detection problems in IC manufacturing
- National Semiconductor - discussions on testing of the photoresist thermal processing technology
- Numerical Technologies - pursued extensions and productization of our research on model-based aerial imaging systems and phase-shifting mask design.
- SEMATECH (factory automation group) - discussions on commercialization of thermal processing technology
- SEMATECH (mask strategy group) - discussions on the application of thermal processing technology for photoresist on 9" quartz reticles
- Silicon Valley Group - supported a summer student working on problems in alignment
- Texas Instruments - supported one years research for a graduate student in our microlithography group
- Ultratech Stepper - participated in the implementation of our stepper alignment strategy

4 MURI Supported Publications - August 1997 - July 1998

4.1 Books (Stanford)

- [1] B. Hassibi, A.H. Sayed and T. Kailath, *Indefinite Quadratic Estimation and Control: A Unified Approach to H^2 and H^∞ Theories*, SIAM Studies in Applied Mathematics, Philadelphia, PA, 1998.

4.2 Book Chapters (Stanford)

- [2] L. Vandenberghe and S. Boyd, "Connections Between Semi-Infinite and Semidefinite Programming", to appear in R. Reemtsen and J.-J. Rueckmann, Eds., *Semi-Infinite Programming*, Kluwer Publishers, 1997.
- [3] S. Boyd, Entropy and random feedback. In V. Blondel, E. Sontag, M. Vidyasagar, and J. Willems, editors, *Open Problems in Mathematical Systems Theory and Control*, Springer-Verlag, 1998.

4.3 Book Chapters (BU/Princeton/Yale)

- [4] S.A. Orszag, E. Barouch, U. Hollerbach, and R. Vallishayee, "Simulation of Microlithographic Processes", accepted, 1997.

4.4 Published/Accepted Journal Papers (Stanford)

- [5] G. Perçin, T. S. Lundgren, and B. T. Khuri-Yakub, "Controlled ink-jet printing and deposition of organic polymers and solid-particles," in *Applied Physics Letters*, vol. **73**, no. 16, (in press), 19 October 1995.
- [6] G. Perçin, A. Atalar, F. L. Degertekin, and B. T. Khuri-Yakub, "Micromachined two dimensional array piezoelectrically actuated transducers," in *Applied Physics Letters*, vol. **72**, no. 11, pp. 1397-1399, 16 March 1998.
- [7] G. Perçin, L. Levin, and B. T. Khuri-Yakub, "Piezoelectrically actuated droplet ejector," in *Review of Scientific Instruments*, vol. **68**, no. 12, pp. 4561-4563, December 1997.
- [8] Susan L. Morton, F. Levent Degertekin, B.T. Khuri-Yakub, "In Situ Monitoring of Photoresist Development," to appear *Applied Physics Letters*, October 12, 1998.
- [9] Susan L. Morton, F. Levent Degertekin, B.T. Khuri-Yakub, "In Situ Measurement of Photoresist Glass Transition Temperature," *Applied Physics Letters*, Vol. 72, No. 19, May 11, 1998, pp. 2457-2459.
- [10] Boyd, S. and Crusius, C. and Hansson, A., "Control Applications of Nonlinear Convex Programming", to appear in *Journal of Process Control*, 1998.
- [11] I. Gohberg and V. Olshevsky, "On the generalized Parker-Traub algorithm for inversion of Vandermonde and related matrices", To appear in *Journal of Complexity*, 1997.

- [12] B. Hassibi, T. Kailath and A.H. Sayed. "Array Algorithms for H^2 and H^∞ Estimation", To appear in *Applied and Computational Control, Signals and Circuits*, Vol. 1, No. 1, 1997.
- [13] B. Hassibi, A.H. Sayed and T. Kailath. "Array Algorithms for H^∞ Estimation", To appear in *IEEE Transactions on Automatic Control*, 1997.
- [14] K. El-Awady, C. Schaper, and T. Kailath. "Thermal Cycling Module for Photoresist Processing", submitted to *IEEE Trans. Semiconductor Manufacturing*, 1997.
- [15] C. Schaper, T. Kailath, and Y. J. Lee. "Decentralized Control of Wafer Temperature for Rapid Thermal Processing Systems", submitted to *IEEE Trans. Semiconductor Manufacturing*, 1997.
- [16] A. Hassibi and S. Boyd. Integer parameter estimation in linear models with applications to GPS. *IEEE Trans. on Signal Proc.*, November 1998.
- [17] M. S. Lobo, L. Vandenberghe, S. Boyd, and H. Lebret. Applications of second-order cone programming. *Linear Algebra and Appl.*, 1997. To appear.
- [18] E. Rimon and S. P. Boyd. Obstacle collision detection using best ellipsoid fit. *Journal of Intelligent and Robotic Systems*, 18:105-126, 1997.

4.5 Published/Accepted Journal Papers (BU/Princeton/Yale)

- [19] U. Hollerbach. "Effects of Aliasing Errors on Microlithographic Image Computations", *J. Sci. Comp.*, Vol. 12, pp. 3-10 (1997).
- [20] R. Vallishayee, S. Orszag, E. Jackson and E. Barouch. "Manufacturability of Electronic Chips", *Theoretical and Computational Fluid Dynamics*, Vol. 10, pp. 407-424 (1998).

4.6 Submitted Journal Papers (Stanford)

- [21] L. Vandenberghe, S. Boyd, and A. El Gamal. "Optimizing dominant time constants in RC circuits", submitted to *IEEE Transactions on Computer Aided Design*, 1996.
- [22] M.S. Lobo, L. Vandenberghe, S. Boyd, and H. Lebret. "Second-order cone programming", submitted to *Linear Algebra and Applications*, 1997.
- [23] Hansson, A. and Wahlberg, B., "Continuous-Time Blind Channel Deconvolution Using Laguarre Shifts", Submitted to *Mathematics of Control, Signals, and Systems*, 1998.
- [24] B. Hassibi and T. Kailath, "A Krein Space Interpretation of the Kalman-Yakubovich-Popov Lemma", submitted to *Systems and Control Letters*, 1997.
- [25] B. Hassibi and T. Kailath, " H^∞ Filtering of Signals in Additive Noise", submitted to *IEEE Transactions on Automatic Control*, 1997.
- [26] B. Hassibi and T. Kailath, " H^∞ Bounds for Least-Squares Estimators", submitted to *IEEE Transactions on Automatic Control*, 1997.

- [27] B. Hassibi, A.T. Erdogan and T. Kailath. "Equalization with an H^∞ Criterion", submitted to *IEEE Transactions on Information Theory*, 1997.
- [28] A.T. Erdogan, B. Hassibi and T. Kailath. "On H^∞ Equalization of Communication Channels", submitted to *IEEE Transactions on Communications*, 1997.
- [29] A. Hassibi, J. How, and S. Boyd. Low-authority controller design via convex optimization. *AIAA J Guidance, Control, and Dynamics*, 1998. Submitted.

4.7 Submitted Journal Papers (BU/Yale/Princeton)

- [30] M. S. Yeung. "Single Integral Equation for Electromagnetic Scattering from Three-Dimensional Dielectric Objects", submitted to *IEEE Transactions on Antennas and Propagation*, September 1997.

4.8 Published/Accepted Conference Papers (Stanford)

- [31] G. Perçin and B. T. Khuri-Yakub. "Micromachined 2-D array piezoelectrically actuated flextensional transducers and inkjet print heads," in *Proceedings of 194th The Electrochemical Society Meeting* (1-6 November 1998, Boston, Massachusetts), (in press).
- [32] G. Perçin and B. T. Khuri-Yakub. "Micromachined 2-D array piezoelectrically actuated flextensional transducers: New designs," in *Proceedings of 1998 SPIE's Micromachining and Microfabrication* (21-22 September 1998, Santa Clara, California), vol. 3514, (in press).
- [33] G. Perçin, H. T. Soh, and B. T. Khuri-Yakub. "Resist deposition without spinning by using novel inkjet technology and direct lithography for MEMS," in *Proceedings of 1998 SPIE's 23rd Annual International Symposium on Microlithography, Advances in Resist Technology and Processing XV* (22-27 February 1998, Santa Clara, California), vol. 3333, pp. 1382-1389.
- [34] G. Perçin and B. T. Khuri-Yakub. "Micromachined 2-D array piezoelectrically actuated flextensional transducers," in *Proceedings of 1997 IEEE International Ultrasonics Symposium* (5-8 October 1997, Toronto, Canada), pp. 959-962.
- [35] Amir A. Ghazanfarian, Xun Chen, Tom Kailath, Mark McCord, Fabian W. Pease, *Exploiting Structure in Positioning of Non-symmetric Signals*, ICASSP, Vol.4, pp. 1913-16, May 1998, Seattle, WA. Feb. 1997
- [36] Amir A. Ghazanfarian, Xun Chen, Fabian W. Pease, Mark A. McCord, *High Accuracy Alignment Based on Subspace Decomposition*, SPIE's 23rd Int'l symposium on microlithography, Feb. 1998
- [37] Xun Chen, Amir A. Ghazanfarian, Fabian W. Pease, Mark A. McCord, *Application of Brewster Angle Illumination technique to eliminate resist-induced alignment error*, SPIE's 23rd Int'l symposium on microlithography, Feb. 1998
- [38] Amir A. Ghazanfarian, Xun Chen, Mark A. McCord, Fabian W. Pease, *Exploiting Structure of Wafer Distortion in Global Alignment*, The 42nd Int'l conference on Electron, Ion, and Photon beam technology and nanofabrication, May 1998

- [39] Xun Chen, Amir A. Ghazanfarian, Mark A. McCord, Fabian Pease, *Performance of Adaptive Alignment Method on Asymmetric Signals*. The 42nd Int'l conference on Electron, Ion, and Photon beam technology and nanofabrication, May 1998
- [40] Susan L. Morton, F. Levent Degertekin, B.T. Khuri-Yakub, "Ultrasonic Cure and Temperature Monitoring of Photoresist during Pre-Exposure Bake Process," *Metrology, Inspection, and Process Control for Microlithography XII, SPIE 23rd Intern Symp on Microlithography*, March 1998.
- [41] Susan L. Morton, F. Levent Degertekin, B.T. Khuri-Yakub, "Ultrasonic Monitoring of Photoresist Pre-bake Using TOF Measurement," *Proceedings of 1997 IEEE Ultrasonics Symposium*, Toronto, Canada.
- [42] Hansson, A. and Boyd, S., "Robust Optimal Control of Linear Discrete Time Systems using Primal-Dual Interior-Point Methods", *Proceedings of the 1998 American Control Conference*, Philadelphia, Pennsylvania, 1998.
- [43] Hansson, A. and Drexler, M., "Application of Iterative Methods in Interior-Point Methods for Robust Optimal Control of Linear Discrete-Time Systems", Abstract presented at *4th SIAM Conference on Control and its Applications*, 1998.
- [44] Hansson, A. and Boyd, S., "Optimal Temperature Profiles for Post-Exposure Bake of Photoresist", *Proceedings of SPIE's 23rd Annual International Symposium on Microlithography*, 1998.
- [45] E. Beran, L. Vandenberghe, and S. Boyd, A global BMI algorithm based on the generalized Benders decomposition. In *Proceedings of the European Control Conference*, July 1997.
- [46] Roche, P.-E. and Hansson, A. and Khuri-Yakub, B. T., "Control of Drop-Ejector for Photo-Resist Coating", *Proceedings of SPIE's 5th Annual International Symposium on Smart Structures and Materials*, 1998.
- [47] B. Hassibi and T. Kailath, "Tracking with an H^∞ Criterion", *Proceedings of the 36th IEEE Conference on Decision and Control*, San Diego, CA, Dec. 1997.
- [48] B. Halder, B. Hassibi and T. Kailath, "Linearly combined suboptimal mixed H^2/H^∞ controllers", *Proceedings of the 36th IEEE Conference on Decision and Control*, San Diego, CA, Dec. 1997.
- [49] A. Hassibi and S. Boyd, Quadratic stabilization and control of piecewise-linear systems. In *Proc. American Control Conf.*, Philadelphia, PA, 1998.
- [50] H. Hindi and S. Boyd, Robust solutions to ℓ_1 , ℓ_2 and ℓ_∞ uncertain linear approximation problems using convex optimization. In *Proc. American Control Conf.*, 1998.
- [51] A. Hassibi, J. How, and S. Boyd, Low-authority controller design via convex optimization. In *Proc. IEEE Conf. on Decision and Control*, December 1998.
- [52] H. A. Hindi, B. Hassibi, and S. Boyd, Multiobjective H_2/H_∞ -optimal control via finite dimensional \mathcal{H}_2 -parametrization and semidefinite programming. In *Proc. American Control Conf.*, June 1998.
- [53] Khalid El-Awady, Charles Schaper, and Thomas Kailath, "Thermal cycling module for photoresist processing," accepted to AEC/APC Symposium X, October 11-14, 1998, Vail, Colorado.

4.9 Published/Accepted Conference Papers (BU/Princeton/Yale)

- [54] M. S. Yeung and E. Barouch, "Use of Rigorous Three-Dimensional Electromagnetic Simulation to Evaluate the Effectiveness of Optical Proximity Correction for Nonplanar Lithography", Proc. MRS Fall 1997 Meeting, Vol. 490 (December 1997).
- [55] M. S. Yeung and E. Barouch, "Three-Dimensional Mask Transmission Simulation Using a Single Integral Equation Method", Proc. SPIE, Vol. 3334, pp. 704-713 (February 1998).
- [56] U. Hollerbach, "Net-Faim: Distributed Computation of Aerial Images", Proc. SPIE, Vol. 3334, pp. 803-813 (February, 1998).

4.10 Submitted Conference Papers (Stanford)

- [57] A. Ronnekleiv, P. Roche, and B. T. Khuri-Yakub, "Analysis of micro machineable piezoelectrically driven one dimensional flexural transducers", submitted to *IEEE Ultrasonics Symposium*, 1997.
- [58] Non-linear dynamics of bimorph flexural mode disc transducers - P. Roche and B. T. Khuri-Yakub, "Non-linear dynamics of bimorph flexural mode disc transducers", submitted to *IEEE Ultrasonics Symposium*, 1997.
- [59] Hansson, A. and El-Awady, K. and Wahlberg, B., "A Primal-Dual Interior-Point Method for Iterative Feedback Tuning", Submitted to *1999 IFAC World Congress*, Beijing.
- [60] El-Awady, K. and Hansson, A. and Wahlberg, B., "Application of Iterative Feedback Tuning to a Thermal Cycling Module", Submitted to *1999 IFAC World Congress*, Beijing.

5 Interactions/Transitions

5.1 Interactions (Stanford)

- Applied Materials - option to license two technologies; collaborative investigations on future developments; a student has taken a leave of absence from the university to work with them
- CVC Products - implemented and commercialized decentralized control strategy for wafer temperature control on rapid thermal chemical vapor deposition module
- E-TECH - cooperative research on developed thermal cycler for photoresist processing on thick quartz glass used for masks; donated equipment and provided test data on the performance of our technology
- Hewlett-Packard - built and tested a phase-shifting masks designed by us
- KLA - supported a summer student working on fault detection problems in IC manufacturing
- Numerical Technologies - pursued extensions and productization of our research on model-based aerial imaging systems and phase-shifting mask design.
- Silicon Valley Group - supported a summer student working on problems in alignment

PUBLICATIONS (August 1, 1998 -- July 31, 1999)

Journals

1. Ghazanfarian, Xun Chen, Mark A McCord, R. Fabian Pease, Khanh Nguyen, Harry Levinson. "Exploiting Structure of Wafer Distortion in Global Alignment". *J. Vac. Sci. Tech.* B16, 3642-3646, Nov/Dec 1998
2. Xun Chen, A. A. Ghazanfarian, Mark A McCord, R. Fabian Pease. "Performance of Adaptive Alignment Method on Asymmetric Signals". *J. Vac. Sci. Tech.* B16, 3637-3641, Nov/Dec 1998
3. K. El-Awady, C. Schaper, and T. Kailath. "Integrated bake/chill for photoresist processing." *IEEE Transactions on Semiconductor Manufacturing*, 12(2): 264-266, 1999.
4. C. Schaper, T. Kailath, and Y. Lee. "Decentralized control of wafer temperature for rapid thermal processing systems." *IEEE Transactions on Semiconductor Manufacturing*, 12(2): 225 - 234, 1999.
5. K. El-Awady, C. Schaper, and T. Kailath. "Control of spatial and transient temperature trajectories for photoresist processing", *Journal of Vacuum Science and Technology B*, vol. 17, no. 5, p. 2109-14, 1999.
6. W.K. Ho, A. Tay, and C. Schaper. "Optimal predictive control with constraints for the processing of semiconductor wafers on bake plates", *IEEE Trans. Semiconductor Manufacturing*, to appear, 2000.
7. Susan L. Morton, F. Levent Degertekin, and Butrus T. Khuri-Yakub. "Ultrasonic Sensor for Photoresist Process Monitoring." *IEEE Trans. on Semiconductor Manufacturing*, 12, 332-339 (August 1999).
8. Susan L. Morton, F. Levent Degertekin, and B. T. Khuri-Yakub. "In Situ Ultrasonic Monitoring of Photoresist Development." *Appl. Phys. Lett.* 73, 2215-2217 (October 1998).
9. Susan L. Morton, F. Levent Degertekin, and B. T. Khuri-Yakub. "In Situ Ultrasonic Measurement of Photoresist Glass Transition Temperature," *Appl. Phys. Lett.* 72, 2457-2459 (May 1998).
10. M. Yeung. "Application of the hybrid FDTD-FETD method to dispersive materials." *Microwave and Optical Technology Letters*, vol. 23, p. 238-242, Nov. 1999.
11. M. Yeung. "Single integral equation for electromagnetic scattering by three-dimensional homogeneous dielectric objects." *IEEE Transactions on Antennas and Propagation*, vol. 47, p. 1615-1622, Oct. 1999.
12. M. Yeung. "Measurement of wave-front aberrations in high-resolution optical lithographic systems from printed photoresist patterns," *IEEE Transactions on Semiconductor Manufacturing*, vol. 13, Feb. 2000 (in press).

13. M. Yeung, "Incident wave source for finite-difference time-domain computation of electromagnetic scattering by objects embedded in layered dispersive media," *Journal of Scientific Computing*, vol. 14, p. 121-145, June 1999.
14. D. C. Cole, M. Yeung, Eytan Barouch, "Using advanced simulation to aid microlithography development," intended for publication in *Proc. IEEE*. The editors have reviewed and accepted the extended abstract: the article is near completion and will be then awaiting review.

Conferences

1. G. Percin and B. T. Khuri-Yakub, "Micromachined piezoelectrically actuated flextensional transducers for high resolution printing," IS&T's NIP16: International Conference on Digital Printing Technologies, October 15-20, 2000, Vancouver, B.C., Canada.
2. G. Percin and B. T. Khuri-Yakub, "Plate equations and equivalent circuit for piezoelectrically actuated flextensional transducers," ISAF 2000: 12th IEEE International Symposium on the Applications of Ferroelectrics, July 30 - August 2, 2000, Honolulu, Hawaii.
3. G. Percin and B. T. Khuri-Yakub, "Plate equations and equivalent circuit for micromachined piezoelectrically actuated flextensional transducers," 139th Meeting of the Acoustical Society of America, May 30 - June 3, 2000, Atlanta, Georgia.
4. G. Percin and B. T. Khuri-Yakub, "Micromachined piezoelectrically actuated flextensional transducers for high resolution printing," SPIE's 2000 Symposium on Micromachining and Microfabrication, Micro Fluidic Devices and Systems, 18-21 September, 2000, Santa Clara, California.
5. G. Percin and B. T. Khuri-Yakub, "Plate equations and equivalent circuit for micromachined piezoelectrically actuated flextensional transducers," SPIE's 2000 Symposium on Micromachining and Microfabrication, Materials and Device Characterization in Micromachining, 18-21 September, 2000, Santa Clara, California.
6. G. Percin and B. T. Khuri-Yakub, "Micromachined two dimensional array droplet ejectors for controlled deposition of fluids and solid-particles," Cambridge Healthtech Institute's Macro Results from Microarrays: Establishing Leads for Drug Development, April 17-19, 2000, Philadelphia, Pennsylvania.
7. D. Cole, O. Bula, E. W. Conrad, D. S. Coops, W. C. Leipold, R. W. Mann, and J. H. Oppold, "Optimization criteria for SRAM design: lithography contribution," *Proc. SPIE* vol. 3679, p. 847-859, Optical Microlithography XII, Luc Vanden Hove: Ed.
8. E. W. Conrad, D. C. Cole, D. P. Paul, and E. Barouch, "Model considerations, calibration issues, and metrology methods for resist-bias

models." Proc. SPIE vol. 3677, p. 940-955. Metrology, Inspection, and Process Control for Microlithography XIII. Bhanwar Singh: Ed.

9. M. S. Yeung and E. Barouch. "Application of the hybrid finite-difference time-domain method to modeling curved surfaces in three-dimensional lithography simulation." Proc. SPIE, vol. 3679, p. 1093-1103 (1999).
10. E. Barouch, S. L. Knodle, S. A. Orszag, and M. S. Yeung. "Illuminator optimization for projection printing." Proc. SPIE, vol. 3679, p. 697-703 (1999)
11. C. Schaper and A. Tay. "Electron beam patterning on permeable polymer membranes for nanofabrication and microfluidic applications." Proc. Thirteenth Biennial University/Government/Industry Microelectronics Symposium, p. 91-93, 1999.
12. C. Schaper and T. Kailath. "Applications of mathematical systems science for nanofabrication of integrated circuits". Proc. Thirteenth Biennial University/Government/Industry Microelectronics Symposium, p. 120-122, 1999.
13. W. K. Ho, A. Tay, and C. Schaper. "Optimal control strategy using linear programming for load disturbance compensation in thermal processing systems". SPIE Microelectronic Manufacturing Symposium, vol. 3882, p. 24-35, 1999.
14. C. Schaper, K. El-Awady, and A. Tay. "Spatially-programmable temperature control and measurement for chemically amplified photoresist processing." SPIE Microelectronic Manufacturing Symposium, vol. 3882, p. 74-79, 1999.
15. W. K. Ho, A. Tay, and C. Schaper. "Optimal control of conductive heating systems for microelectronics processing of silicon wafers and quartz photomasks." IECON'99, 25th Annual Conference of the IEEE Industrial Electronics Society, 1999.
16. C. Schaper, T. Kailath, K. El-Awady, and A. Tay. "Applications of control and signal processing to the microlithography process." IECON'99, 25th Annual Conference of the IEEE Industrial Electronics Society, 1999.
17. L. Lee and C. Schaper. "End-pointing algorithms for control of chemical dissolution processes." SPIE Microelectronic Manufacturing, submitted.
18. Susan L. Morton, F. Levent Degertekin, and B. T. Khuri-Yakub, "Ultrasonic Cure and Temperature Monitoring of Photoresist during Pre-exposure Bake Process." presented at SPIE Conference on Metrology, Inspection, and Process Control for Microlithography XII, Santa Clara, California (February 23-25, 1998); in SPIE Proceedings on Metrology, Inspection, and Process Control for Microlithography XII, vol. 3332 (SPIE, Washington, 1998), pp. 254-261.

Inventions

1. G. Percin and B. T. Khuri-Yakub. "Micromachined two dimensional array droplet ejectors: new designs." Stanford University, Office of Technology Licensing. Docket No: S99-216. December 1999.
2. G. Percin and B. T. Khuri-Yakub. "Two dimensional array ultrasonic sensors for assay well microplates." Stanford University, Office of Technology Licensing. Docket No: S99-218. December 1999.
3. M. S. Yeung. "Method and apparatus for measuring wavefront aberrations in optical lithographic systems from printed photoresist patterns." March 1999.
4. C. Schaper, K. El-Awady, T. Kailath. "Temperature processing module", patent pending review. Stanford University Office of Technology Licensing Docket No. S99-014, March, 1999.

PUBLICATIONS (August 1, 1999 -- June, 2001)

Journals

1. K. El-Awady, C. Schaper, and T. Kailath, "Control of spatial and transient temperature trajectories for photoresist processing", *Journal of Vacuum Science and Technology B*, vol. 17, no. 5, p. 2109-14, 1999.
2. W.K. Ho, A. Tay, and C. Schaper, "Optimal predictive control with constraints for the processing of semiconductor wafers on bake plates", *IEEE Trans. Semiconductor Manufacturing*, 2000.
3. Susan L. Morton, F. Levent Degertekin, and Butrus T. Khuri-Yakub, "Ultrasonic Sensor for Photoresist Process Monitoring," *IEEE Trans. on Semiconductor Manufacturing*, 12, 332-339 (August 1999).
4. M. Yeung, "Application of the hybrid FDTD-FETD method to dispersive materials," *Microwave and Optical Technology Letters*, vol. 23, p. 238-242, Nov. 1999.
5. M. Yeung, "Single integral equation for electromagnetic scattering by three-dimensional homogeneous dielectric objects," *IEEE Transactions on Antennas and Propagation*, vol. 47, p. 1615-1622, Oct. 1999.
6. M. Yeung, "Measurement of wave-front aberrations in high-resolution optical lithographic systems from printed photoresist patterns," *IEEE Transactions on Semiconductor Manufacturing*, vol. 13, Feb. 2000.
7. M. S. Yeung and E. Barouch, "Limitation of the Kirchhoff Boundary Conditions for Aerial Image Simulation in 157-nm Optical Lithography", *IEEE Electron Device Letters*, vol. 21, September 2000 (in press).
8. M. S. Yeung, "Solution of Electromagnetic Scattering Problems Involving Three-Dimensional Homogeneous Dielectric Objects by the Single Integral Equation Method", *Journal of Scientific Computing*, vol. 15, March 2000(in press).
15. L. Lee, C. Schaper, W.K. Ho, "Real-Time predictive control strategy of photoresist film thickness uniformity", *IEEE Transactions on Semiconductor Manufacturing*, 2001 (to be published).

Conferences

1. G. Percin and B. T. Khuri-Yakub, "Micromachined piezoelectrically actuated flextensional transducers for high resolution printing," IS&T's NIP16: International Conference on Digital Printing Technologies, October 15-20, 2000, Vancouver, B.C., Canada.
2. G. Percin and B. T. Khuri-Yakub, "Plate equations and equivalent circuit for piezoelectrically actuated flextensional transducers," ISAF 2000: 12th IEEE International Symposium on the Applications of Ferroelectrics, July 30 - August 2, 2000, Honolulu, Hawaii.

3. G. Percin and B. T. Khuri-Yakub. "Plate equations and equivalent circuit for micromachined piezoelectrically actuated flextensional transducers." 139th Meeting of the Acoustical Society of America. May 30 - June 3, 2000. Atlanta, Georgia.
4. G. Percin and B. T. Khuri-Yakub. "Micromachined piezoelectrically actuated flextensional transducers for high resolution printing." SPIE's 2000 Symposium on Micromachining and Microfabrication, Micro Fluidic Devices and Systems. 18-21 September, 2000. Santa Clara, California.
5. G. Percin and B. T. Khuri-Yakub. "Plate equations and equivalent circuit for micromachined piezoelectrically actuated flextensional transducers." SPIE's 2000 Symposium on Micromachining and Microfabrication, Materials and Device Characterization in Micromachining. 18-21 September, 2000. Santa Clara, California.
6. G. Percin and B. T. Khuri-Yakub. "Micromachined two dimensional array droplet ejectors for controlled deposition of fluids and solid-particles." Cambridge Healthtech Institute's Macro Results from Microarrays: Establishing Leads for Drug Development. April 17-19, 2000. Philadelphia, Pennsylvania.
7. C. Schaper and A. Tay. "Electron beam patterning on permeable polymer membranes for nanofabrication and microfluidic applications." Proc. Thirteenth Biennial University/Government/Industry Microelectronics Symposium, p. 91-93, 1999.
8. C. Schaper and T. Kailath. "Applications of mathematical systems science for nanofabrication of integrated circuits". Proc. Thirteenth Biennial University/Government/Industry Microelectronics Symposium, p. 120-122, 1999.
9. W. K. Ho, A. Tay, and C. Schaper. "Optimal control strategy using linear programming for load disturbance compensation in thermal processing systems". SPIE Microelectronic Manufacturing Symposium, vol. 3882, p. 24-35, 1999.
10. C. Schaper, K. El-Awady, and A. Tay. "Spatially-programmable temperature control and measurement for chemically amplified photoresist processing." SPIE Microelectronic Manufacturing Symposium, vol. 3882, p. 74-79, 1999.
11. C. Schaper, T. Kailath, K. El-Awady, and A. Tay. "Applications of control and signal processing to the microlithography process." Conference on Decision and Control, 1999.
12. L. Lee and C. Schaper. "End-pointing algorithms for control of chemical dissolution processes." SPIE Microelectronic Manufacturing, September, 2000.
13. M. S. Yeung and E. Barouch. "157-nm Lithography Simulation Using a Finite-Difference Time-Domain Method with Oblique Incidence in a Multilayered Medium". Proceedings of SPIE, vol. 4000, 701-710 (2000).

14. M. S. Yeung. "Single Integral Equation for Electromagnetic Scattering from Dielectric Objects Embedded in Layered Media". Progress in Electromagnetics Research Symposium (PIERS) 2000. Cambridge, MA. July 2000.

Inventions

1. G. Percin and B. T. Khuri-Yakub. "Micromachined two dimensional array droplet ejectors: new designs." Stanford University. Office of Technology Licensing. Docket No: S99-216. December 1999.
2. G. Percin and B. T. Khuri-Yakub. "Two dimensional array ultrasonic sensors for assay well microplates." Stanford University. Office of Technology Licensing. Docket No: S99-218. December 1999.
3. C. Schaper. "Molecular Transfer Lithography". submitted to USPTO. March 2001.